

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	3	((spider\$3 or crawl\$3 or travers\$3 or pars\$3) with ((html or xml or xgml or xslt) near2 script\$1)) and ((index\$3 or stor\$3) with (id or identifier\$1 or number\$1) with (video\$1 or media or multi-media))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 16:30
L3	155	((spider\$3 or crawl\$3 or travers\$3 or pars\$3) with (html or xml or xgml or xslt)) and ((index\$3 or stor\$3) with (id or identifier\$1 or number\$1) with (video\$1 or media or multi-media))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 16:34
L4	12	3 and (time near5 index\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 16:34
L5	41	((spider\$3 or crawl\$3 or travers\$3 or pars\$3) with (html or xml or xgml or xslt)) same ((index\$3 or stor\$3) with (multi-media or audio or video))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 16:35
L6	0	5 and (time near4 index\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 16:35
L7	1	5 and (time with index\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 16:36
L8	2187	(index\$2 near2 (audio\$1 or video\$1 or multi-media))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 16:37
L9	39	(index\$2 near2 (audio\$1 or video\$1 or multi-media)) same (pars\$3 or travers\$3 or spider\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:07
L10	0	(index\$2 near2 (audio\$1 or video\$1 or multi-media)) same (pars\$3 or travers\$3 or spider\$3) same ((group\$3 or classif\$5 or sort\$3) with ((audio or video) near2 content\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:09

L11	0	((index\$2 or stor\$3) near2 (audio\$1 or video\$1 or multi-media)) same (pars\$3 or travers\$3 or spider\$3) same ((group\$3 or classif\$5 or sort\$3) with ((audio or video) near2 content\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:10
L12	8	((index\$2 or stor\$3) near2 (audio\$1 or video\$1 or multi-media)) same (pars\$3 or travers\$3 or spider\$3) and ((group\$3 or classif\$5 or sort\$3) with ((audio or video) near2 content\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:16
L13	0	(pars\$3 near4 script\$1) same ((group\$3 or classif\$5 or sort\$3) with (different near2 version\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:17
L14	0	((pars\$3 or translat\$3 or spider\$3) near4 script\$1) same ((group\$3 or classif\$5 or sort\$3) with (different near2 version\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:18
L15	0	((pars\$3 or translat\$3 or spider\$3) near4 script\$1) and ((group\$3 or classif\$5 or sort\$3) with (different near2 version\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:19
L16	0	((pars\$3 or translat\$3 or spider\$3) near4 (html or xml or sgml or xslt)) same ((group\$3 or classif\$5 or sort\$3) with (different near2 version\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:21
L17	1	((pars\$3 or translat\$3 or spider\$3) near4 (html or xml or sgml or xslt)) same ((group\$3 or classif\$5 or sort\$3) with version\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:21
L18	1	((pars\$3 or tranvers\$3 or spider\$3) near4 (html or xml or sgml or xslt)) same ((group\$3 or classif\$5 or sort\$3) with version\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:22
L19	136	((pars\$3 or tranvers\$3 or spider\$3) near4 (html or xml or sgml or xslt)) and ((group\$3 or classif\$5 or sort\$3) with version\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:26

L20	3598828	19 and index\$3 or stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:27
L21	136	19 and (index\$3 or stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:22
L22	32	21 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:23
L23	0	((pars\$3 or tranvers\$3 or spider\$3) near4 ((audio or video or multi-media) near2 script\$1)) and ((group\$3 or classif\$5 or sort\$3) with version\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:26
L24	20	((pars\$3 or tranvers\$3 or spider\$3) near4 script\$1) and ((group\$3 or classif\$5 or sort\$3) with version\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:38
L25	20	24 and (index\$3 or stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:29
L26	8	24 and (index\$3 or stor\$3) and (audio or video or multi-media)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:35
L27	8	24 and (audio or video or multi-media)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:35
L28	0	((pars\$3 or tranvers\$3 or spider\$3) near4 script\$1) same ((group\$3 or classif\$5 or sort\$3) with version\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 18:10
L29	47	((pars\$3 or tranvers\$3 or spider\$3) near4 script\$1) same (group\$3 or classif\$5 or sort\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 17:38

L30	25	29 and (audio\$1 or video\$1 or multi-media)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 18:10
L31	0	((pars\$3 or tranvers\$3 or spider\$3) near4 script\$1) same ((group\$3 or classif\$5 or sort\$3) with (different near2 version\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 18:15
L32	0	((pars\$3 or tranvers\$3 or spider\$3) with script\$1) same ((group\$3 or classif\$5 or sort\$3) with (different near2 version\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 18:15
L33	0	((pars\$3 or tranvers\$3 or spider\$3) with script\$1) same ((group\$3 or classif\$5 or sort\$3) with version\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 18:15
L34	0	((pars\$3 or tranvers\$3 or spider\$3) with ((html or xml or sgml or xslt) near2 script\$1)) same ((group\$3 or classif\$5 or sort\$3) with version\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 18:16
L35	0	((pars\$3 or tranvers\$3 or spider\$3) with ((html or xml or sgml or xslt) near2 script\$1)) and ((group\$3 or classif\$5 or sort\$3) with (different near2 version\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 18:17
L36	7	((pars\$3 or tranvers\$3 or spider\$3) with (html or xml or sgml or xslt)) and ((group\$3 or classif\$5 or sort\$3) with (different near2 version\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 18:17
L37	186	((pars\$3 or tranvers\$3 or spider\$3) with (html or xml or sgml or xslt)) and ((group\$3 or classif\$5 or sort\$3) with version\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 18:18
L38	1	((pars\$3 or tranvers\$3 or spider\$3) with (html or xml or sgml or xslt)) same ((group\$3 or classif\$5 or sort\$3) with version\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 18:18
L39	0	((pars\$3 or tranvers\$3 or spider\$3) with script\$1) same ((group\$3 or classif\$5 or sort\$3) with version\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 18:18

L40	0	((pars\$3 or tranvers\$3 or spider\$3) with script\$1) and ((group\$3 or classif\$5 or sort\$3) with (different near2 version\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 18:19
L41	0	((pars\$3 or travers\$3 or spider\$3) with script\$1) and ((group\$3 or classif\$5 or sort\$3) with (different near2 version\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 18:19
L42	0	((pars\$3 or tranvers\$3 or spider\$3) with script\$1) and ((group\$3 or classif\$5 or sort\$3) with (different near2 version\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 18:19
L43	0	((pars\$3 or tranvers\$3 or spider\$3) with script\$1) and ((group\$3 or classif\$5 or sort\$3) with (different near2 version\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 18:20
L44	33	((pars\$3 or tranvers\$3 or spider\$3) with script\$1) and ((group\$3 or classif\$5 or sort\$3) with version\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 18:22
L45	32	44 and different	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 18:20
L46	1	(pars\$3 or tranvers\$3 or spider\$3) same ((group\$3 or classif\$5 or sort\$3) with (different near2 version\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 18:23
L47	1	(pars\$3 or tranvers\$3 or spider\$3 or crawl\$3) same ((group\$3 or classif\$5 or sort\$3) with (different near2 version\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 18:23
L48	23	(pars\$3 or tranvers\$3 or spider\$3 or crawl\$3) same ((group\$3 or classif\$5 or sort\$3) with version\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 18:35
L49	7	48 and (audio\$1 or video\$1 or multi-media)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 18:24

L50	1	(pars\$3 or tranvers\$3 or spider\$3 or crawl\$3) same ((group\$3 or classif\$5 or sort\$3) with (different near2 version\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/29 18:36
-----	---	--	---	----	-----	------------------